



# FJD EASYDIG G21

GD SISTEMA DI GUIDA ÚER ESCAVATORE

# FACILE LAVORARE CON EASYDIG

Eae^ aã — } • ã c { aeãã\* ãæ] ^! ^• &ææ] äGD. ä^!•• &@ — ^æã! } ^! • ^ d | ^ & [ \ } æ] | ^ &ã } ^ & ^ d äæE/ & ! -æã^ äæ • æ^ &@ æ &@ ä] ^ [ -ãã] [ • [ ] [ ä ä æ^ | ä ãæ ^ } eEva} ^ { | } ä & } } ä^• ä } { [ ä | æ^ &@ & } • ^ } c äã] æ • æ^ äæ } æ( æ&@ ææ| c äE @e } | ^ : [ æ&•• äã^ æc ä\* | ä ] ^! æ] | ä



Wireless Module



100 H Battery Life



Solar Charging



Tilt Bucket Supported




One-man Installation



Beginner Friendly



Centimeter Accuracy




Laser Receiver Supported

## VANTAGGI CHIAVE


**35%**  
TEMÚO



Road Construction



Trenches




Swimming Pools


**67.5%**  
C [ • d ä^ | æ ] |



Residential Projects



Foundations



Car Parks


**35%**  
Diesel





# INTERFACCIA PERSONALIZZABILE

||•ã{ æ[ ] ã& | •&@{ äãçã ~ ää: æ ä } ^ ^ | ] [ • ] ^ ã^ ÈS&\* | ääæHæ | ] [ • ] ^ ã^ &@  
 ç[ ] ^ • ãç^ ä^ ^ ^ & } d[ ] äæ& ] [ ] äç&&ç E



# PENDENZA TAGLIO & PROFONDITÀ DI SCAVO

|| d ~ &@ & ^ ^ } äæFÈFC [ • dæ } { [ ä^ || [ ää| ä^ | ä ^ } d HD • ä & [ ] ä: æ & [ ] ä ç [ ^ • & æ æ | ^ K& ] [ • & ä | æ [ • ä ä ] ^ ä ç { ] [ | ^ æ ^ ä | æ { æ & @ æ ^ æ } } æ ä ^ | æ ä ^ } } æ • ^ : æ | æ ç ä ^ ä ç ] [ \* | æ E

# PROGETTAZIONE DEL SITO

|| } [ • æ | æ | ] [ { } ä ä È | æ æ \* @ : : æ È | æ | } \* @ : : æ ^ | æ ^ } ä ^ : æ ä ^ | ç [ • & æ [ ä ä ^ æ æ ^ } ç • | • ä | ^ ä ä ä ä ä ä E



